36 ft 1986 Harris Cuttyhunk 36 Flybridge Lobster Boat **US\$75,000**

Anacortes, Washington, United States













Boat Details

Make: **Harris Cuttyhunk** Class: **Lobster Boat** Model: **36 Flybridge** Hull Material: **Fiberglass**

Lobster Boat

Year: **1986** Beam: **12 ft 6 in**

Length: 36 ft Boat Location: Anacortes, Washington,

United States

Price: **US\$75,000** Heads: **1**

Condition: Used Fuel Type: Diesel



Russ Meixner | West Yachts

West Yachts LLC, Anacortes, Washington, United States

Tel: **360-299-2526** russ@west-yachts.com

www.yachtworld.com/westyachts

Description

PRICE REDUCTION!!!

By Appointment Only

Information & Features

Dimensions

LOA: **43 ft**Beam: **12 ft 6 in**

Accommodations

Heads: 1

36' Cuttyhunk Flybridge Lobster Boat 1986

SPECIFICATIONS:

- LOA 43'
- LOD 36'
- Beam 12' 6"
- Draft 3'
- Displacement 14,000lbs.
- Gross Tonnage 16
- Net Tonnage 13
- Hull Design Modified Deep-V, Semi-Planning with Rising Sheer-Line, Flared Bow, Rounded Bilge with Full Keel and Attached Inboard Rudder.
- · Keel Fiberglass molded into the Hull's Layup Schedule
- · Rudder Bronze
- Rudder Mounting Keel Mounted on Sand Shoe
- · Swim Platform Cored Fiberglass
- Hull Material Fiberglass
- Hull Exterior Finish Ice Blue 'Vinyl Wrap' with White Boot Stripe and Black Bottom Paint
- Deck Construction Cored Fiberglass with textured Non-Skid Material.
- · Toe- Rails Painted Wood
- Bub-Rails Black Rubber Compression
- Hull-To-Deck Joint Inboard Hull Flange to Deck
- Hull-To-Deck Joint Fasteners Stainless Steel Through Bolted & Screwed

TANKAGE:

- FUEL 125 Gallons in 2 Aluminum Tanks Located Port & Starboard of Engine
- WATER 80 Gallons in 2 Polyethylene Tanks Located Aft Port & Starboard
- HOT WATER TANK 6 Gallons Isotherm Marine Grade 120Volt
- WASTE 30 Gallons in (1) Polyethylene Blackwater Tank with Overboard & Deck Pumpout
- PROPANE (1) LPG Tank Located on Flybridge Aft Locker Self Contained

INTERIOR:

Sleeps 4 - Forward V-Berth (2)

Salon Sofa (2)

- Head (1) Private Enclosed Head with Stand-Up Shower, 12Volt Toilet, Sink & Vanity
- Galley Hot & Cold Pressure Water System
- · Galley Refrigeration Norcold Refrigerator/Freezer
- Galley Stove/Oven Dickenson Marine Propane 3-Burner Cooktop with Oven
- Galley Sink Single Stainless Steel
- Cabin Heating System Wabasto 12Volt Diesel-Fired Forced-Air

Red Dot 12Volt Radiant Heating System

MECHANICAL / ELECTRICAL:

- Single Caterpillar 3208, V8, 375hp @ 2800rpm, Freshwater-Cooled, Direct-Drive Inboard Diesel Engine
- Engine Hours 2425 Hours
- Cruising Numbers 1600rpm @ 8.4 Knots @ 3.8GPH

1800rpm @ 9 Knots @ 5.3 GPH

2000rpm @ 9.9 Knots @ 7 GPH

2200rpm @ 11.5 Knots @ 9.3 GPH

2400rpm @ 13.4 Knots @ 12.1 GPH

2600rpm @ 15.3 Knots @ 16 GPH

2800rpm @ 17.3 Knots @ 21 GPH (WOT)

- Engine Alternator 12Volt Engine Mounted & Belt Driven
- Engine Exhaust Raw Water/Exhaust Gas Mixing Riser and Flexible Hoses to Fiberglass Muffler exiting through Transom Mounted Discharge.
- Engine Controls Mechanical Lever / Cable Type
- Engine Fuel Filters Primary Racor Filter / Water Separator

Secondary - on Engine

Steering System - Hynautic Hydraulic

Reinforced Flexible Hoses with Metallic Fittings

Rudder Log Packing Gland - Bronze Hex Nut Type

• Steering Stations (3) - Salon Lower Helm

Flybridge Upper Helm

Cockpit Aft Helm

- Seacocks & Valves Raw Water Seacocks Bronze Alloy Ball Valve Type
- Raw Water Strainers AG Bronze Alloy with Sight-Glass & Underwater Scoop Strainers.
- Transmission / Gear Twin Disc
- Propeller Shaft 1 3/4" Stainless Steel
- Propeller Shaft Log Fiberglass Composite
- Propeller Shaft Packing Gland Flange & Bolt Stuffing Box Type Packing Gland
- Propeller Bronze Alloy 4-Blade with Nut & Cotter Pin
- Batteries Start (1) Group 24, 12Volt Wet Cell

House - (4) AGM 6Volt

Rotary Battery Switch

- Inverter / Battery Charger Magnum Energy ME3112 Charger / Inverter
- Shore Power Service 30amp / 125Volt

30amp Shore Power Smart Cord

- Bilge Pumps (2) 12Volt with Float Switches
- Bow Thruster Werner

NAVIGATION / COMMUNICATION:

Compass

4

- VHF Standard Horizon Quest-X GX15005
- Autopilot ComNav 211
- Radar Furuno 1731
- GPS Chartplotter Garmin GPSmap / Chartplotter
- Depth Furuno

GROUND TACKLE:

- Anchor Platform Varnished Wood with Stainless Steel Anchor Roller Chute
- Anchor CQR 35#
- Rode 200' 5/16th G4 Chain

Unknown Amount of Nylon Rode

· Windlass - Lewmar Pro-Series

SAFETY:

- · Navigation Lights / Anchor Light
- Windshield Wipers (2) Located at Lower Helm
- Deck Railings Stainless Steel Railings from Amidships Around the Forward Perimeter of the Deck
- Hand Rails / Grab Rails Stainless Steel
- Boarding Swim Ladder Folding Aluminum Installed at the Swim Platform
- Deck Hatches (2) Opening Deck Hatches on the Trunk Cabin Top
- Life Jackets (4) Type IV
- · Life-Ring M.O.B. with Line Located on Aft Deck
- Fire Extinguishers (2) Type ABC 2.5lb. Dry Chemical
- Visual Distress Signals Orion Electric SOS Beacon
- · Search Light Portable
- Horn 12Volt DC Electric Air Korn
- "No Oil Discharge" Placard On Board
- "Trash Disposal" Placard On Board
- Carbon Monoxide Detectors (2)

MISCELLANEOUS:

- Bottom Paint NEW March 2023
- Zincs NEW March 2023
- No Osmotic Laminate Blisters
- Tender 1990 Turbine Boats Fiberglass
- Canvas Cockpit Bimini
- · Wash Downs Exterior Located in Port Cockpit

Located in Chain Locker

Staging & Personal Items to be Removed at Time of Sale.

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.













































































